



PREV-GBS CAMPAIGN

GBS SWAB COLLECTION CARD



REFERRING DOCTOR

COLLECTION DATE

PATIENT NAME

PATIENT NUMBER

GESTATIONAL AGE

CULTURE ALONE

CULTURE WITH ANTIBIOTIC SUSCEPTIBILITY (CULTURE AND SENSITIVITY)

Culture and sensitivity should be done in all women with significant allergy to penicillin. Otherwise, culture alone may be sufficient because GBS is generally susceptible to penicillin. However, given the fact that GBS susceptibility in Egyptian population is unknown, culture and sensitivity may be recommended in all patients till there is sufficient evidence that your patients are general susceptible to penicillin



PREV-GBS CAMPAIGN

GBS SWAB COLLECTION CARD



REFERRING DOCTOR

COLLECTION DATE

PATIENT NAME

PATIENT NUMBER

GESTATIONAL AGE

CULTURE ALONE

CULTURE WITH ANTIBIOTIC SUSCEPTIBILITY (CULTURE AND SENSITIVITY)

Culture and sensitivity should be done in all women with significant allergy to penicillin. Otherwise, culture alone may be sufficient because GBS is generally susceptible to penicillin. However, given the fact that GBS susceptibility in Egyptian population is unknown, culture and sensitivity may be recommended in all patients till there is sufficient evidence that your patients are general susceptible to penicillin